



| Product Description |

4-USB2.0 Port USB over IP Server

- US-2402 -

Network USB over IP Server with 4-Ports USB 2.0

Version : 1.0
2020 - 11 - 26

Generic Model Name : **US-2402**

Interfaces

USB : 4-USB2.0 high speed compliant port

LAN : Compliant with IEEE 802.3/802.3u standards, 10/100/1000 Mbps auto-sensing, RJ-45 (UTP) connector

Key Software Specification

DHCP (Client) Support	Yes
Network Operating System Support	1. Windows XP(32/64bit)/Vista(32/64bit) 2. Windows 7/8/10 3. Linux/Mac(print server via LPR)
Management	1. Web interface 2. Windows-based Setup Program
Network Protocol	1. Proprietary virtual USB over IP protocol 2. Print Server (LPR)
Software Upgradeable	Web interface
USB Devices Support	Printer, MFP, Scanner, Mass Storage, USB audio, Webcam, TV Tuner Card
MFP Features Support	Print, Scan, Copy, Fax and Card reader
Windows Scan Utility (WIA) Support	Yes

Hardware Specification


USB Port	4-USB2.0 high-speed port
LAN Port	10/100/1000 Mbps, auto-sensing, auto-crossover
Reset Button	Yes
Power Adapter	5V/2A, Switching
Dimension	107 (Length) x 76 (Width) x 30 (Height) mm
Weight	112 g (device only)
EMI Certifications	CE , FCC Class B, VCCI
Temperature	Operating : 0 ~ 50°C ; Storage : -5 ~ 65 °C
Humidity	Operating : 0 ~ 70%; Storage : 0 ~ 80%

*As of the release of this specification. The specification is subject to change without prior notice.

Housing



System Block Diagram



Application

